



Light Efficiency:

27 Lumen/Watt

Dominant Wavelength:

526nm

Output:

430lm

Power:


16.1W

Peak:

9186cd

Beam Angle

10.1°



Product Name:

64B LED PRO

Test:


Green

Date:


1/16/2018

Note:


Spectral Distribution



Color Coordinates



Zoom Color Point



Distance (meter)

Distance (feet)

1 3.3 2 6.6 3 9.8 4 13.1 5 16.4

Lux*


10.1°

Foot Candles*

*measured at center of beam

Beam Width (meter)

Beam Width (feet)



Beam Angle 50%	Field Angle 10%	Cutoff Angle 2,5%	Intensity Ratio in 120° Cone	Intensity Ratio in 90° Cone
10.1°	18.9°	24.5°	95.5%	92.3%

Beam Intensities from 1-20m

m	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ft	3.3	6.6	9.8	13.1	16.4	19.7	23	26.2	29.5	32.8	36.1	39.4	42.7	45.9	49.2	52.5	55.8	59.1	62.3	65.6
lx	9141	2285	1016	571	366	254	187	143	113	91	76	63	54	47	41	36	32	28	25	23
fcd	849.3	212.3	94.4	53.1	34	23.6	17.3	13.3	10.5	8.5	7	5.9	5	4.3	3.8	3.3	2.9	2.6	2.4	2.1