

The Vizi Beam 12RX is high powered beam moving head powered by the brilliant 260W Philips® Platinum 12R LL MSD Discharge Lamp (6,000 hr.). It produces a razor sharp 2-degree beam of light with motorized focus. It comes with 14 colors + open (with color indexing), 16 GOBOs + open (Including UV, CTO & CTB) with GOBO indexing, two rotating prisms and a frost filter for wash effects. To create breathtaking aerial effects, the Vizi Beam 12RX is fitted with two prism wheels - a 6 facet liner prism and a 24-facet circular prism.

The Vizi Beam 12RX offers 2 DMX modes (14 or 16 channels) and RDM control options. It has 3-pin and 5-pin DMX In/Out connections and IP65 power locking In/Out connection to daisy chain the power from one fixture to the next. It has a color display with 4-button internal menu system, plus a USB service port to conveniently update the fixture's firmware.

www.ADJ.com/vizi-beam-12rx

VIZI BEAM I2RX



Light Source:

- 260W Philips® Platinum 12R LL MSD Discharge Lamp (6,000 hr.)
- Color temperature: 7800K

Features:

- Motorized Focus + 16-bit fine focus
- 2-degree beam angle
- Frost Filter to create wash effect
- High quality glass lens
- 2 Rotating prisms: 6-facet Linear and 24-facet Circular
- 0-100% smooth dimming
- Various strobe speeds
- USB firmware update port
- Fan cooled

Color Wheel:

- 14 dichroic colors + white (Includes CTO, CTB & UV)
- Indexable color wheel for split colors

GOBO Wheel:

- 16 static GOBOs + open (4 GOBOs are beam reducers)
- GOBO Shake Effect

Prisms:

• Rotating, 6-facet linear and 24-facet circular

Control:


- 2 DMX Channel Modes: 14/16 Channels
- Color LCD display with 4-button function menu
- Control Mode: DMX512, RDM control options
- 0-100% smooth dimming
- Various strobe speeds
- USB firmware update port
- With Wired Digital Communication Network

Pan/Tilt:


- Pan: 540 degrees (plus 16-bit fine pan)
- Tilt: 270 degrees (plus 16-bit fine tilt)

Connections:

- DMX Connections: 3-pin & 5-pin DMX In/Out (Data link max: 32 fixtures)
- Power Connections: IP65 rated power locking In/Out connections to daisy chain power



VIZI BEAM IZRX COLOR WHEEL



VIZI BEAM IZRX GOBO WHEEL



VIZI BEAM I2RX



Electrical:

- Multi-voltage operation: 100-240V, 50/60Hz
- Max power consumption: 384W (@120V), 371W (@230V)

Dimensions & Weight:

- Dimension: 13.8" (L) x 13.5" (W) x 22.25" (H) / 350 x 343.5 x 565mm
- Weight: 39.7 lbs. / 18 kg.

What's Included:

- Omega Brackets
- 1.83M locking power cable

Approvals / Ratings:


- cETLus Approved (Control #4000358)
- CE Certified

Road Case:


 Two (2) Vizi Beam 12RX fit in the ADJ DRC MHX road case (road case sold seperately)













VIZI BEAM I2RX



